Number	Time stamp
	2003/10/23 16:44
	2003/10/24 11:35
	2003/10/23 16:59
	2003/10/23 17:14
	2003/10/23 16:59
	2003/10/24 11:21
	2003/10/24 11:35
	2003/10/24 11:43
	2003/10/24 11:44
	2003/10/24 12:52
	2003/10/24 13:08
	2003/10/24 15:27

182	(quantiz\$) same (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) same (image or picture or frame)	USPAT; US-PGPUB; EPO;	2003/10/24 17:27
16	((quantiz\$) same (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) same (image or picture or frame)) and 382/239.ccls.	USPAT; US-PGPUB;	2003/10/24 15:27
		DERWENT;	
19	("4302775" "4999074" "5099322" "5103307" "5159447" "5241383" "5267334" "5274443" "5283646" "5323187" "5426463" "5532746" "5617150" "5742707" "5818970" "5822465" "5862260" "5903676" "5974380") PN	USPAT	2003/10/24 15:42
123	(quantiz\$) same (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) with (image or picture or frame)	USPAT; US-PGPUB;	2003/10/24 17:27
1	(different or various) near6 (quantizs) with (skins4 or hypocos3 or	DERWENT; IBM_TDB	2003/10/24 17:28
ı	omit\$4) with (block or area or cell) with (image or picture or frame)	US-PGPUB; EPO;	2003/10/24 17.26
00	(quentiz\$) with (skin\$4 or hymnes\$2 or amit\$4) with (block or area or	IBM_TDB	2003/10/24 17:28
00	cell) with (image or picture or frame)	US-PGPUB; EPO;	2003/10/24 17.28
		DERWENT; IBM_TDB	
1101	((quantiz\$ or encod\$ or compress\$) near8 (background)) and ((quantiz\$ or encod\$ or compress\$) near8 (object or subject or foreground))	USPAT; US-PGPUB; EPO:	2003/10/24 17:31
		DERWENT,	
4	((bypass\$ or skip\$ or omit\$) near8 (background)) same ((quantiz\$ or encod\$ or compress\$) near8 (object or subject or foreground))	USPAT; US-PGPUB;	2003/10/24 17:31
		DERWENT;	
40	(((quantiz\$ or encod\$ or compress\$) near8 (background)) and ((quantiz\$ or encod\$ or compress\$) near8 (object or subject or foreground))) and	USPAT; US-PGPUB;	2003/10/24 17:53
	382/239.ccis.	DERWENT,	
666	(encod\$ or compress\$) with (different or various or alternative) near6 (quantiz\$)	IBM_TDB USPAT; US-PGPUB;	2003/10/27 09:45
		EPO; DERWENT; IBM_TDB	
1	((encod\$ or compress\$) with (different or various or alternative) near6 (quantiz\$)) same ((bpass\$ or omit\$4 or exclud\$ or neglect\$) near6	USPAT; US-PGPUB;	2003/10/27 09:58
	(block of cell of area))	DERWENT,	
120	((first or current or "1") near2 (frame or picture or image)) same quantiz\$ same ((select\$ or chosen or choos\$) near4 (block or cell))	USPAT; US-PGPUB;	2003/10/27 10:06
		EPO; DERWENT; IBM_TDB	
79	(((first or current or "1") near2 (frame or picture or image)) same quantiz\$ same ((select\$ or chosen or choos\$) near4 (block or cell)))	USPAT; US-PGPUB;	2003/10/27 15:11
	same (encods or compresss)	EPO; DERWENT; IBM_TDB	
	16 19 123 1 188 1101 4 40 666	cell) same (image or picture or frame) ((quantiz\$) same (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) same (image or picture or frame)) and 382/239.cels. ("4302775" "4999074" "5099322" "5103307" "5159447" "5241383" "5267334" "5274443" "5283646" "5323187" "5426463" "5532746" "5617150" "5742707" "5818970" "5822465" "5862260" "5903676" "597480").PN. (quantiz\$) same (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) with (image or picture or frame) (different or various) near6 (quantiz\$) with (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) with (image or picture or frame) (quantiz\$) with (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) with (image or picture or frame) ((quantiz\$) or encod\$ or compress\$) near8 (background)) and ((quantiz\$ or encod\$ or compress\$) near8 (object or subject or foreground)) (((bypass\$ or skip\$ or omit\$) near8 (background)) same ((quantiz\$ or encod\$ or compress\$) near8 (object or subject or foreground)) ((((quantiz\$ or encod\$ or compress\$) near8 (background)) and ((quantiz\$ or encod\$ or compress\$) near8 (object or subject or foreground))) and 382/239.cels. ((encod\$ or compress\$) with (different or various or alternative) near6 (quantiz\$)) same ((bypass\$ or omit\$4 or exclud\$ or neglect\$) near6 (block or cell or area)) (((first or current or "1") near2 (frame or picture or image)) same quantiz\$ same ((select\$ or chosen or choos\$) near4 (block or cell))	cell) same (image or picture or frame) ((quantiz\$) same (skip\$4 or bypass\$3 or omit\$4) with (block or area or cell) same (image or picture or frame)) and 382/239.cels. ("4302775" "4999074" "5099322" "5103307" "5159447" US-PGPUB, EPO, DERWENT; BM, TDB USPAT, US-VERWENT; BM, TDB USPAT "5241383" "526463" "55274443" "5274443" "5282465" "5532746" "551750" "574270" "5818970" "5822465" "5903676" "5974380").PN. ("4302775" "4999074" "5099322" "5103307" "5159447" US-PGPUB, EPO, DERWENT; BM, TDB USPAT US-PGPUB, EPO, DERWENT; BM, TDB USPAT, US-PGPUB, EPO, DERWENT, BM, TDB USPAT, US-PGPUB, EPO, DERW

Ţ .	2	5748789.pn.	USPAT;	2003/10/27 13:35
	_	3710705.pm	US-PGPUB;	2003/10/2/ 13:55
			EPO;	
			DERWENT;	
			IBM_TDB	
-	234	(encod\$ or compress\$ or quantiz\$) with (alternative near2 (frame or	USPAT;	2003/10/27 14:24
	ļ	picture or image))	US-PGPUB;	
			EPO;	
			DERWENT;	
1			IBM_TDB	
-	136	(encod\$ or quantiz\$) with (alternative near2 (frame or picture or image))	USPAT;	2003/10/27 14:24
1			US-PGPUB;	
]			EPO; DERWENT;	
1			IBM_TDB	
_	4247	(encod\$ or quantiz\$) with ((selected or chosen) near3 (cell or block or	USPAT;	2003/10/27 14:30
-	7247	area))	US-PGPUB;	2003/10/27 14.30
			EPO;	
			DERWENT;	
			IBM_TDB	
-	733	((encod\$ or quantiz\$) with ((selected or chosen) near3 (cell or block or	USPAT;	2003/10/27 14:30
		area))) same (frame or image or picture)	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	2162	(encod\$ or quantiz\$) near6 ((selected or chosen) near3 (cell or block or	USPAT;	2003/10/27 14:30
		area))	US-PGPUB;	
			EPO;	
			DERWENT;	
	471	//	IBM_TDB	2002/10/07 14 20
-	471	((encod\$ or quantiz\$) near6 ((selected or chosen) near3 (cell or block or	USPAT;	2003/10/27 14:30
		area))) same (frame or image or picture)	US-PGPUB; EPO;	
			DERWENT;	
			IBM_TDB	
_	320	((encod\$ or quantiz\$) near6 ((selected or chosen) near3 (cell or block or	USPAT;	2003/10/27 14:31
		area))) with (frame or image or picture)	US-PGPUB;	
		,,,, , , , , , , , , , , , , , , , , ,	EPO;	
			DERWENT;	
			IBM_TDB	
-	228		USPAT;	2003/10/27 14:32
		area))) with (frame or image or picture)) and (compress\$)	US-PGPUB;	
			EPO;	
			DERWENT,	
	02	((((oncod\$ or quentig\$) need ((calcated or ab) 2 (-1) - 11 1	IBM_TDB	2002/10/27 14 25
-	92	((((encod\$ or quantiz\$) near6 ((selected or chosen) near3 (cell or block or area))) with (frame or image or picture)) and (compress\$)) and	USPAT; US-PGPUB;	2003/10/27 14:35
		382/\$.ccls.	EPO;	
		3021 \$.0013.	DERWENT;	
			IBM_TDB	
] _	42	(((((first or current or "1") near2 (frame or picture or image)) same	USPAT;	2003/10/27 15:11
		quantiz\$ same ((select\$ or chosen or choos\$) near4 (block or cell)))	US-PGPUB;	
		same (encod\$ or compress\$)) and (color)	EPO;	
		· · · · · ·	DERWENT,	
			IBM_TDB	
 -	1	(((((first or current or "1") near2 (frame or picture or image)) same	USPAT;	2003/10/27 15:12
		quantiz\$ same ((select\$ or chosen or choos\$) near4 (block or cell)))	US-PGPUB;	
		same (encod\$ or compress\$)) and (color)) and ("cy")	EPO;	
1			DERWENT;	
L			IBM_TDB	

	·		·	
-	132	(encod\$ or quantiz\$) with ((skip\$ or omit\$ or bypass\$) near3 (block or cell or area)) same (image or frame or picture)	USPAT; US-PGPUB;	2003/10/29 17:04
			EPO;	
			DERWENT; IBM_TDB	
_	22	((encod\$ or quantiz\$) near6 ((unselected or bypassed or omitted or	USPAT;	2003/10/30 15:24
		skipped) near2 (block or cell or area))) with (frame or image or picture)	US-PGPUB;	
			EPO;	
			DERWENT;	
-	1082	((video near2 conferenc\$) or teleconferenc\$) with (encod\$)	IBM_TDB USPAT;	2003/10/30 16:15
		((1.000 1.0002 00.000 00.000 00.000) 11.000	US-PGPUB;	2003/10/30 10:13
			EPO;	
			DERWENT;	
_	1102	((video near2 conferenc\$) or teleconferenc\$) with (encod\$ or quantiz\$)	IBM_TDB USPAT;	2003/10/30 16:17
		((1.25) hear constants) of teleconterence) with (choose of qualities)	US-PGPUB;	2003/10/30 10:17
			EPO;	
:			DERWENT;	
_	27	(((video near2 conferenc\$) or teleconferenc\$) with (encod\$ or quantiz\$))	IBM_TDB USPAT;	2003/10/30 16:16
		and 382/239.ccls.	US-PGPUB;	2003/10/30 10:10
			EPO;	
			DERWENT; IBM TDB	
_	1146	((video near2 (conferenc\$ or phone)) or teleconferenc\$) with (encod\$ or	USPAT;	2003/10/30 16:17
		quantiz\$)	US-PGPUB;	20007.0750.07.1
			EPO;	
			DERWENT; IBM_TDB	
_	2100	((video near2 (conferenc\$ or phone)) or teleconferenc\$) with (encod\$ or	USPAT;	2003/10/30 16:18
		quantiz\$ or compress\$)	US-PGPUB;	
			EPO;	
			DERWENT; IBM_TDB	
_	7	(((video near2 (conferenc\$ or phone)) or teleconferenc\$) with (encod\$ or	USPAT;	2003/10/30 16:20
		quantiz\$ or compress\$)) same (((bypass\$ or skip\$4 or omit\$) near6	US-PGPUB;	
		(block or cell or area or region or segment)) near6 (image or frame or picture))	EPO; DERWENT;	
			IBM_TDB	
-	4057		USPAT;	2003/10/30 17:01
		motion)) and ((encod\$ or quantiz\$ or compress\$) near6 (background or	US-PGPUB;	
]		stationary))	EPO; DERWENT;	
			IBM_TDB	
-	78	(((video near2 (conferenc\$ or phone)) or teleconferenc\$) with (encod\$ or	USPAT;	2003/10/30 17:00
		quantiz\$ or compress\$)) and (((encod\$ or quantiz\$ or compress\$) near6 (foreground or mov\$6 or motion)) and ((encod\$ or quantiz\$ or	US-PGPUB; EPO;	
		compress\$) near6 (background or stationary)))	DERWENT;	
		• , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	164	((encod\$ or quantiz\$ or compress\$) near6 (foreground or mov\$6 or	USPAT;	2003/10/30 17:05
		motion) near5 (block or cell or area or array)) and ((encod\$ or quantiz\$ or compress\$) near6 (background or stationary) near5 (block or cell or	US-PGPUB; EPO;	
		area or array))	DERWENT;	
			IBM_TDB	
-	53	(((encod\$ or quantiz\$ or compress\$) near6 (foreground or mov\$6 or motion) near5 (block or cell or area or array)) and ((encod\$ or quantiz\$	USPAT; US-PGPUB;	2003/10/30 17:06
		or compress\$) near6 (background or stationary) near5 (block or cell or	EPO;	
		area or array))) and (382/\$.ccls. or 348/\$.ccls.)	DERWENT;	
L			IBM_TDB	

-	23	(compress\$ or encod\$) same ((different or various or several or another) near4 (quantiz\$)) same ((alternative or next or follow\$3 or preceding)	USPAT; US-PGPUB;	2003/10/31 11:39
		near2 (frame or image or picture))	EPO;	
		, , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM_TDB	
-	2	5594813.pn.	USPAT;	2003/10/31 12:07
			US-PGPUB;	
			EPO;	
			DERWENT,	
			IBM_TDB	
-	2	5379351.pn.	USPAT;	2003/10/31 12:09
			US-PGPUB;	
	1		EPO;	
			DERWENT;	
			IBM_TDB	
-	223	(quantiz\$ or encod\$ or compress\$) near8 (unselected or bypassed or	USPAT;	2003/10/31 12:40
	1	omitted or background or skipped) near2 (block or cell or array or area	US-PGPUB;	
	1	or region) near4 (frame or image or picture)	EPO;	
			DERWENT;	
			IBM_TDB	
-	99	(quantiz\$ or encod\$ or compress\$) near3 (unselected or bypassed or	USPAT;	2003/10/31 13:12
	!	omitted or background or skipped) near2 (block or cell or array or area	US-PGPUB;	
		or region) near4 (frame or image or picture)	EPO;	
			DERWENT;	
			IBM_TDB	
-	3	(quantiz\$ or encod\$ or compress\$) near3 (unselected or bypassed or	USPAT;	2003/10/31 13:18
	!	omitted or background or skipped) near2 (block or cell or array or area	US-PGPUB;	
		or region) near7 ((next or follow\$3 or preceding or another) near3	EPO;	
		(frame or image or picture))	DERWENT;	
			IBM_TDB	0002/10/01 12 10
-	3	(quantiz\$ or encod\$ or compress\$) near3 (unselected or bypassed or	USPAT;	2003/10/31 13:18
	į į	omitted or background or skipped or unselected or "not selected") near2	US-PGPUB;	
	ļ .	(block or cell or array or area or region) near7 ((next or follow\$3 or	EPO;	
		preceding or another) near3 (frame or image or picture))	DERWENT;	
	60	((encod\$3 or quantiz\$) near8 (selected or changed or chosen or choos\$)	IBM_TDB USPAT;	2003/10/31 13:34
] -		near2 (block or array or area or region or cell)) and ((encod\$3 or	US-PGPUB;	2003/10/31 13.34
		quantiz\$) near8 (unselected or unchanged or "not chosen" or bypassed or	EPO;	
		skipped) near2 (block or array or area or region or cell))	DERWENT;	
		skipped field 2 (block of diray of died of region of certif)	IBM TDB	
_	214	((encod\$5 or quantiz\$6 or compress\$7) near7 (select\$7 or separat\$6)	USPAT;	2003/12/18 18:20
		with (image or frame)) and (375/240.03 or 382/240.24).ccls.	US-PGPUB;	2000.12,10
		, , , , , , , , , , , , , , , , , , , ,	EPO;	
			DERWENT;	Ì
			IBM TDB	
-	358	((encod\$5 or quantiz\$6 or compress\$7) near7 (select\$7 or separat\$6)	USPAT;	2003/12/18 18:21
		with (image or frame)) and (375/240.03 or 375/240.24).ccls.	US-PGPUB;	
		,	EPO;	
			DERWENT;	
			IBM_TDB	
-	108	(((encod\$5 or quantiz\$6 or compress\$7) near7 (select\$7 or separat\$6)	USPAT;	2003/12/18 18:22
		with (image or frame)) same (background or motion or movement)) and	US-PGPUB;	
		(375/240.03 or 375/240.24).ccls.	EPO;	
			DERWENT;	
			IBM_TDB	
-	2	6208693.pn.	USPAT;	2003/12/18 18:24
			US-PGPUB;	
			EPO;	
			DERWENT;	
	_ ,	(942047009 1851172029 185104041 1857504009 185070257	IBM_TDB	2002/12/12 12 1
-	9	("4394680" "5117283" "5194941" "5659490" "5963257"	USPAT	2003/12/18 18:24
L	L	"5974172" "5999219" "6122014" "6141442").PN.	L. <u></u>	l

	,			
-	409	(encod\$6 or quantiz\$6) near4 (background) near4 (frame or image or picture)	USPAT; US-PGPUB;	2004/02/04 14:32
İ			EPO;	
			DERWENT;	
			IBM_TDB	
-	1825	(encod\$6 or quantiz\$6) near4 (background or stationary or still) near4	USPAT;	2004/02/04 14:35
		(frame or image or picture)	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	472	(encod\$6 or quantiz\$6) near4 (background or stationary) near4 (frame or	USPAT;	2004/02/04 14:35
		image or picture)	US-PGPUB;	
			EPO;	
	1		DERWENT;	
			IBM_TDB	
-	16	((encod\$6 or quantiz\$6) near4 (background or stationary) near4 (frame	USPAT,	2004/02/04 14:35
		or image or picture)) and (375/240.03 or 375/240.24).ccls.	US-PGPUB;	
			EPO;	
			DERWENT;	
	752	382/239.ccls.	IBM_TDB	2004/02/20 12 12
-	/32	382/239.ccis.	USPAT;	2004/02/20 13:48
			US-PGPUB;	
			EPO; DERWENT;	
			IBM_TDB	
_	1158	(375/240.03 or 375/240.24).ccls.	USPAT;	2004/02/20 13:49
	1150	(3737240.03 01 3737240.24).0013.	US-PGPUB;	2004/02/20 13.49
1			EPO;	
			DERWENT;	
			IBM_TDB	
-	58	382/239.ccls. and ((375/240.03 or 375/240.24).ccls.)	USPAT;	2004/02/20 13:49
		((*************************************	US-PGPUB;	
			EPO;	
			DERWENT;	
ļ			IBM_TDB	
-	3229	((encod\$6 or compress\$6 or quantiz\$6) with ((next or follow\$3 or	USPAT;	2004/02/20 13:54
		success\$5) near2 frame))	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	281	(((encod\$6 or compress\$6 or quantiz\$6) with ((next or follow\$3 or	USPAT;	2004/02/20 13:56
		success\$5) near2 frame))) and (382/239.ccls. or ((375/240.03 or	US-PGPUB;	
		375/240.24).ccls.))	EPO;	
			DERWENT;	
_	11	(((encod\$6 or compress\$6 or quantiz\$6) with ((next or follow\$3 or	IBM_TDB USPAT;	2004/02/20 12:56
-	'1	success\$5) near2 frame))) and (382/239.ccls. and ((375/240.03 or		2004/02/20 13:56
		375/240.24).ccls.))	US-PGPUB; EPO;	
		3131270.27 J.W.Is. JJ	DERWENT;	
			IBM_TDB	
_	7938	(encod\$6 or quantiz\$6 or compress\$6) near7 (skipped or unselected or	USPAT;	2004/02/20 14:37
	,,,,,,	selected or bypass\$4) near2 (block or region or area or segment or	US-PGPUB;	230-11-02/20 17.37
		portion or cell or part or section)	EPO;	
			DERWENT;	
			IBM_TDB	
-	290	((encod\$6 or quantiz\$6 or compress\$6) near7 (skipped or unselected or	USPAT;	2004/02/20 14:38
		selected or bypass\$4) near2 (block or region or area or segment or	US-PGPUB;	
		portion or cell or part or section)) and (382/239.ccls. or ((375/240.03 or	EPO;	
		375/240.24).ccls.))	DERWENT;	
		<u> </u>	IBM_TDB	
				\

-	5513	(encod\$6 or quantiz\$6 or compress\$6) near7 ((skipped or unselected or selected or bypass\$4) near2 (block or region or area or segment or	USPAT; US-PGPUB;	2004/02/20 14:44
		portion or cell or part or section))	EPO; DERWENT;	
			IBM_TDB	
-	222	((encod\$6 or quantiz\$6 or compress\$6) near7 ((skipped or unselected or selected or bypass\$4) near2 (block or region or area or segment or	USPAT; US-PGPUB;	2004/02/20 14:45
		portion or cell or part or section))) and (382/239.ccls. or ((375/240.03 or	EPO;	
		375/240.24).ccls.))	DERWENT,	
_	603	(encod\$6 or quantiz\$6 or compress\$6) near7 ((skipped or unselected or	IBM_TDB USPAT;	2004/02/20 14:44
		bypass\$4) near2 (block or region or area or segment or portion or cell or	US-PGPUB;	200 1102.20 11.11
		part or section))	EPO; DERWENT;	
			IBM_TDB	
-	32	((encod\$6 or quantiz\$6 or compress\$6) near7 ((skipped or unselected or	USPAT;	2004/02/20 14:45
		bypass\$4) near2 (block or region or area or segment or portion or cell or part or section))) and (382/239.ccls. or ((375/240.03 or	US-PGPUB; EPO;	
		375/240.24).ccls.))	DERWENT,	
	1	(encod\$6 or quantiz\$6 or compress\$6) near6 (background or foreground	IBM_TDB USPAT;	2004/02/20 15:19
	1	or stationary) near3 ((next or follow\$6 or success\$6) adj (frame))	US-PGPUB;	2004/02/20 15.19
			EPO;	
			DERWENT, IBM_TDB	
-	55	((unchanged or skipped or bypassed) near2 (block or cell or area or	USPAT;	2004/02/23 13:52
		region or part or section or segment)) with (frame) with (encod\$6 or quantiz\$6)	US-PGPUB; EPO;	
		1	DERWENT,	
	4394	(375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	IBM_TDB USPAT;	2004/03/03 10:45
-	4374	382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.	US-PGPUB;	2004/03/03 10:43
			EPO;	:
			DERWENT; IBM_TDB	
-	0	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 10:47
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and (frequent\$3 with encod\$6 with (high near2 qualtization))	US-PGPUB; EPO;	
		(coquestion with one out of with (tright reads quantization))	DERWENT;	
	0	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	IBM_TDB USPAT;	2004/03/03 10:47
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and	US-PGPUB;	2004/03/03 10.47
		(frequent\$3 with encod\$6 with (high near2 quantization))	EPO; DERWENT;	
			IBM_TDB	
-	808	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 10:53
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and ((encod\$6 or quantiz\$6 or compress\$6) with ((selected or predetermined	US-PGPUB; EPO;	
		or chosen) near2 (block or portion or segment or area or region or part or	DERWENT;	
_	969	cell))) ((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	IBM_TDB USPAT;	2004/03/03 10:54
	, , ,	382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and	US-PGPUB;	2007/03/03 10.34
		((encod\$6 or quantiz\$6 or compress\$6) near7 ((selected or predetermined or chosen or chang\$3 or motion) near2 (block or portion	EPO; DERWENT;	
		or segment or area or region or part or cell)))	IBM_TDB	
-	342	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 10:55
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and (((encod\$6 or quantiz\$6 or compress\$6) near7 ((selected or	US-PGPUB; EPO;	
		predetermined or chosen or chang\$3 or motion) near2 (block or portion	DERWENT;	
		or segment or area or region or part or cell))) with (frame or picture))	IBM_TDB	

	70	(((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/02/02 11:00
-	38		US-PGPUB;	2004/03/03 11:00
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and (((encod\$6 or quantiz\$6 or compress\$6) near7 ((selected or	EPO;	
		predetermined or chosen or chang\$3 or motion) near2 (block or portion	DERWENT;	
		or segment or area or region or part or cell))) with (frame or picture)))	IBM_TDB	
		and ((skipped or bypassed or unselected or unchosen or ("not" adj		
	İ :	(chosen or selected))) near2 (block or segment or area or portion or		
		region or part or cell))		
-	461	(encod\$6 or quantiz\$7) near4 (skipped or bypassed or unselected or	USPAT;	2004/03/03 12:05
		unchosen or ("not" adj (selected or chosen)))	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	91	((375/240.03 or 375/240.24 or 382/232 or 382/236 or 382/238 or	USPAT;	2004/03/03 12:07
		382/239 or 382/244 or 382/245 or 382/246 or 382/251).ccls.) and	US-PGPUB;	
		((encod\$6 or quantiz\$7) near4 (skipped or bypassed or unselected or	EPO;	
		unchosen or ("not" adj (selected or chosen))))	DERWENT;	
			IBM_TDB	
-	2	"20030147462"	USPAT;	2004/03/03 21:30
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	2	5040060.pn.	USPAT;	2004/03/03 21:34
			US-PGPUB;	
			EPO;	
			DERWENT;	
	1		IBM_TDB	
-	2	5485213.pn.	USPAT;	2004/03/03 21:34
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	2	6208693.pn.	USPAT;	2004/03/03 21:34
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	1100	((cod\$2 or encod\$5 or compress\$5 or quantiz\$6) near6 (region or block	USPAT;	2004/09/08 22:09
		or area)) same ((skip\$3 or bypass\$6) near6 (block or region or area))	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	1120	((cod\$3 or encod\$5 or compress\$5 or quantiz\$6) near6 (region or block	USPAT;	2004/09/08 22:11
		or area)) same ((skip\$3 or bypass\$6) near6 (block or region or area))	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	1105	((cod\$3 or encod\$5 or compress\$5) near6 (region or block or area))	USPAT;	2004/09/08 22:11
		same ((skip\$3 or bypass\$6) near6 (block or region or area))	US-PGPUB;	
			EPO;	
	· .		DERWENT;	
		/// 100	IBM_TDB	2004/25/25
-	93	(((cod\$3 or encod\$5 or compress\$5) near6 (region or block or area))	USPAT;	2004/09/08 22:11
		same ((skip\$3 or bypass\$6) near6 (block or region or area))) same	US-PGPUB;	
		(quantiz\$6)	EPO;	
			DERWENT;	
]		IBM_TDB	
-	1889	(quantiz\$6) with (block or cell or area or region) with (frame)	USPAT;	2004/09/13 16:16
			US-PGPUB;	
	1		EPO;	
	1			
			DERWENT; IBM_TDB	

	63	((quantiz\$6) with (block or cell or area or region) with (frame)) with	USPAT;	2004/09/13 15:52
		(part\$5 or bypass\$6 or incomplet\$5)	US-PGPUB;	
		. ,	EPO;	
			DERWENT;	
			IBM TDB	
-	9	((quantiz\$6) with (block or cell or area or region) with (frame)) with	USPĀT;	2004/09/13 16:05
		(partial\$3 or bypass\$6 or incomplet\$5)	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	193	(quantiz\$6) with ((selected or appointed or predetermined or preselected	USPAT;	2004/09/13 16:18
		or elected or assigned) near3 (block or cell or area or region)) with	US-PGPUB;	
		(frame)	EPO;	
			DERWENT;	
	,,,,		IBM_TDB	<u> </u>
-	157	((quantiz\$6) with ((selected or appointed or predetermined or	USPAT;	2004/09/14 17:18
		preselected or elected or assigned) near3 (block or cell or area or	US-PGPUB;	
		region)) with (frame)) and @ad<20000925	EPO;	
			DERWENT;	
	157	((quantiz\$6) with ((selected or appointed or predetermined or	IBM_TDB USPAT;	2004/09/14 17:18
-	157	preselected or elected or assigned) near3 (block or cell or area or	US-PGPUB;	2004/09/14 17:18
		region)) with (frame)) and @ad<20000925	EPO;	
		region)) with (frame)) and (gad 20000725	DERWENT;	
			IBM TDB	
_	228	(background near4 (quantiz\$6 or encod\$5)) same ((motion or mov\$5 or	USPAT;	2004/09/14 17:19
	1	object or subject) near4 (quantiz\$5 or encod\$5))	US-PGPUB;	200 1/03/11 17:17
		(1	EPO;	
			DERWENT,	
			IBM TDB	
-	27	((background near4 (quantiz\$6 or encod\$5)) same ((motion or mov\$5 or	USPĀT;	2004/09/14 17:20
		object or subject) near4 (quantiz\$5 or encod\$5))) and ((different or	US-PGPUB;	
		var\$4 or adapt\$4) near3 quantiz\$6)	EPO;	
			DERWENT;	
			IBM_TDB	

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include out are not limited to the items checked:				
☐ BLACK BORDERS				
IMAGE CUT OFF AT TOP, BOTTOM OR SIDES				
☐ FADED TEXT OR DRAWING				
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING				
☐ SKEWED/SLANTED IMAGES				
COLOR OR BLACK AND WHITE PHOTOGRAPHS				
GRAY SCALE DOCUMENTS				
☐ LINES OR MARKS ON ORIGINAL DOCUMENT				
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY				
Тотиер.				

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.